

## Seal Image 62 Plus


### Beschrijving

<b>Brand / model</b>	Seal / Image 62 Plus
<b>Type</b>	laminator
<b>Year / SN</b>	1999 / 1575-32-876/8.0
<b>Description</b>	Manual fed thermal laminator for double sided hot- and cold laminating materials. Electric operation and programming on a control panel, with foot pedal, unwind and rewind shaft, feeder table with register and paper holder, roller temperature- (max. 130 C°), tension-, spindle pressure-, cooling down fans, and wrinkle control etc. All safeties.
<b>Size</b>	Max. width: 1.600 mms Max. nip width: 25 mms Speed: 0.5-1.8 m/min.
<b>Electrics</b>	220/380 V, 3 Ph, 50/60 Hz, 25 A.
	<b>Extra information:</b>
<b>Dimensions</b>	1 machine pallet: 230x80x130 cm ≈ 600 kgs
<b>HS Code</b>	8439 3000

*McTrade*














McTrade

Safety Info

Control P

Control Pa

Control

Encap

Mount

Film

Setting

Turning

clockw

Note:

Load

Alwa

the u

nece

Alw

Im

ch


Cl

If

u

a





**HUNT GRAPHICS EUROPE B.V.**  
**Kanaaldijk o.z. 3, P.O.B. 29,**  
**8100 AA Raalte, Holland**

McTrade

**MODEL:** IMAGE 62 plu  
**SERIAL NUMBER:** 1575-32-276/  
**MANUFACTURED IN:** 1999  
**POWER SUPPLY:** 3N/PE 200-250V  
**CURRENT:** 16A  
**SCHEME:** 136-EL-08A

Click on the photos and save them to your pc, computer, tablet or phone.

**Product enquiry**

Your Name (required)

Your Email (required)

Subject

Your Message

*McTrade*

All our machines are owned by us and available from our warehouse in Stevensbeek NL, cleaned and checked. We sell FCA (Incoterms 2020).