














BIG IN SMALL MACHINERY

INDEX: PRINTING P. 1-2 *** PRE-PRESS P. 2-2 *** AFTER-PRESS P. 2-7 *** PACKING: P. 7-8 *** MISCELLANEOUS P. 8-10





Sheet offset machinery	Machine/type/price	Year/condition/available	Description/options
	Shinohara 52-II € 3.950	Year/sn: 1999 / 20796115 Impressions: na Good condition Available: direct from stock Ref. PTZ	Modern 2-colour landscape offset machine, LCD operating panel, semi-automatic plate change, chain delivery, small size stream feeder, anti-static device, Royce Eco-15 alcohol dampening with chiller/mixer, low pile delivery, powder spray, ink roller wash. 400 V, 3 Ph, 50/60 Hz, 28 A. Min. / max. size: 100x 140 / 520 x 370 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 12.000 sh/hr.
	Heidelberg GTO 52+ & NP € 3.950	Year/sn: 1993 / 708498 Impressions: 21.028.121 Good condition Available: direct from stock Ref. PTZ	Modern 1-colour landscape offset machine, operating panel, quick clamp plate change, chain delivery, small size tack feeder, Compac Varn dampening, low pile delivery, powder spray, ink roller wash. Plus version with NP unit (including numbering blocks and perforating arms). Including tools and spares. 380 V, 3 Ph, 50/60 Hz. Min. / max. size: 105x 180 / 520 x 360 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 8.000 sh/hr.
	Foellmer OK/90 Duplikator € 950	Year/sn: 2007 / na Impressions: na Used condition Available: direct from stock Ref. PTZ	Stroke- and tab inserter that can be used as counter / inserter on almost every offset press in the world. The unit will insert a short or longer stroke of paper on the moment and count that is given in the digital counter (5 – 99.999). Can be adapted in inclination and height. Mobile on wheels, so it can be flexibly used on more machines or stored elsewhere. 220 V, 1 Ph, 50/60 Hz. Length of the neck: 200 mms Min. / max. size of the stroke: 20 - 200 mms Time of clamp: 0 – 10 sec.
Sign machinery	Machine/type/price	Year/condition/available	Description/options





	<p>Intron Controller System 300 220 802</p> <p>€ 990</p>	<p>Year/sn: na / 9502 0884</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Floor model press for car- & motor licence plates. Operation on the machine with settings, timer, temperature, warning, mechanical pressure of the embossing table etc. All safeties an on wheels for use elsewhere. 220/240 V, 1 Ph, 50 Hz, 2,2 kW.</p>
<p>Pre-press</p>	<p>Machine/type/price</p>	<p>Year/condition/available</p>	<p>Description/options</p>
	<p>Heidelberg Suprasetter A52</p> <p>€ 5.850</p>	<p>Year/sn: 2007 / PJ000309</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Compact thermal 2-up CTP installation with manual feeder. The production reliability is ensured through the intelligent diode system, that when a diode fails, the operation can continue in a high resolution fo 2.400 – 2.540 dpi. Including: PC, monitor, RIP, Metadimensions Prep 2 up, manuals and tools 200-240 V, 50/60 Hz, 1 Ph, 0.7 kW</p> <p>Min. / max. size: 240x240 / 676x530 mms Plate thickness: 0.15 – 0.30 mms Speed: 20 - 33 plates/hr</p>
	<p>Grapho Metronic Plate punch</p> <p>€ 1.550</p>	<p>Year/sn: na / ID09916</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Floor model combi plate punch for MAN Roland RVK, RZK, 200, 300, 500, 700, 800 and 900 series and all Heidelberg (or other brand offset machinery) with Autoplate system offset presses or Bacher 425 and 780 needed machinery for plate size up to 147 cm with pneumatic foot pedal operation (including compressor) and waste removal. Round and rectangular holes. 110-220 V, 1 Ph, 50/60 Hz.</p> <p>Punch distance: 42,5 and 78.0 cms Max. plate size: 147 cms</p>
<p>Paper cutters and guillotines</p>	<p>Machine/type/price</p>	<p>Year/condition/available</p>	<p>Description/options</p>
	<p>Duplo DC-615</p> <p>€ 1.785</p>	<p>Year/sn: na / 110764150</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. STK</p>	<p>This professional automated A3+ size cutter, slitter and creasing machinery can make e.g. business cards, post cards, photos, book covers, menus, brochures etc. out of print work in one pass only. The print work will be transported from the air suction paper feeder to the machine where loose sheets are slit, creased and/or cut simultaneously out of the originals. Up to 6 slits, 15 cuts and 10 creases per sheet in 1 pass (in 3-steps depth). Further the result is to be (batch-) counted automatically. The final result is delivered to the delivery. 230 V, 1 Ph, 50/60 Hz, 0,7 A.</p> <p>Min. / max. size: 210x210 / 460x320 mms Paper weight: 110 - 300 gsm Speed: 11 sheets/min</p>

	<p>Duplo DC-645 € 2.385</p>	<p>Year/sn: na / na Good condition Available: direct from stock Ref. STK</p>	<p>This professional automated A3+ size cutter, slitter and creasing machinery can make e.g. business cards, post cards, photos, book covers, menus, brochures etc. out of print work in one pass only. The print work will be transported from the air suction paper feeder to the machine where loose sheets are slit, creased and/or cut simultaneously out of the originals. 2 rotary side trimmers, up to 4 rotary slitting knives, 1 cross knife with 15 cuts and 1 creasing rule for up to 10 creases per sheet in 1 pass (in 3-steps depth). Further the result is to be (batch-) counted automatically. The final result is delivered to the delivery with separator plates. Touch panel display operation. 230 V, 1 Ph, 50/60 Hz, 1,6 A.</p> <p>Min. / max. size: 210x210 / 370x650 mms Paper weight: 110 - 350 gsm Speed: 1560 sheets/hr</p>
	<p>Several knives for cutters/guillotines € 50 – 150 each</p>	<p>Year/sn: na / na Available: direct from stock Ref. STK</p>	<p>3x Ideal 43 series / 7x Ideal 52 series (6x 85 mm; 1x 75 mm) 1x FL-92, Thungsten Carbide 2x Polar 72 (82 & 99 mm) / 1x Polar 92 (101 mm) 1x Wohlenberg 115, Thungsten Carbide 1x Polar 115 1x Perfecta 92 (10,9 cm)</p>
<p>Stitching- and stapling machinery</p>			
	<p>Hohner Economy 25/40 € 2.150</p>	<p>Year/sn: na / 88025635 Good condition Available: direct from stock Ref. PTZ</p>	<p>Floor model industrial wire stitching machine with automatic wire feeder and a foot pedal operation. With a flick-over working table, so suitable for block- and saddle stitching to produce blocks, pads, books, booklets, magazines, brochures, reports, catalogues etc. 380 V, 3 Ph, 50 Hz.</p> <p>Max. thickness: 2 - 250 sheets of 80 gsm Back gauge distance: 95 - 290 mms Table (flick over): 700 x 240 mms Speed: 203 cycles/min.</p>
	<p>Bizzozero 108B € 1.450</p>	<p>Year/sn: na / na Good condition Available: direct from stock Ref. PTZ</p>	<p>Floor model industrial wire stitching machine with automatic wire feeder and a foot pedal operation. With a flick-over working table, so suitable for block- and saddle stitching to produce blocks, pads, books, booklets, magazines, brochures, reports, catalogues etc. 380 V, 3 Ph, 50 Hz.</p> <p>Max. thickness: 2 - 250 sheets of 80 gsm Back gauge distance: 80 - 370 mms Speed: 170 cycles/min.</p>
	<p>Nagel Multinak S € 1.050</p>	<p>Year/sn: 1994 / 94841475 Good condition Available: direct from stock Ref. PTZ</p>	<p>Floor model industrial 2- head stapling machine with adjustable staple distance, automatic staple feeders, foot pedal operation. Suitable for block- and saddle stitching to produce blocks, pads, books, booklets, magazines, brochures, reports, catalogues etc. Loop staples are also possible. 400 V, 3 Ph, 50 Hz.</p> <p>Max. thickness: 2 - 270 sheets of 80 gsm Staple distance: 80 – 155 mms Back gauge distance: 80 - 155 mms Table size (flick over): 580 x 250 mms Staple types: 24, 26 and 30</p>

	<p>Hang 102-20 € 850 each</p>	<p>Year/sn: 2024 / 7020031 Excellent condition Available: direct from stock Ref. PTZ</p>	<p>Floor model industrial single head eyeletting machine with foot pedal operation and automatic eyelet feed. Suitable for paper, cardboard, plastic etc. Ideal for contracts, certificates and labels. Punches and eyelets in one work process where the eyelet punches the hole. Adjustable rear- and side stops for exact positioning. We have 2 pc available.</p> <p>Size of eyelets: 4 – 5.5 mms Max. thickness: 20 sheets of 80 gsm or up to 2 mms</p>
	<p>ODM Super Sewer 65 € 2.950</p>	<p>Year/sn: 2010 / 502 Good condition Available: direct from stock Ref. PTZ</p>	<p>Floor model industrial and automatic in-line sewing machine (lock-stitch sewing) for the production of on-demand books, photo albums, yearbooks, journals, blocks and textbooks. Easy to operate with user friendly operating panel. Semi-automatic feeder with a reverse back stitch on the head and the foot of the book block for a strong side sew, that will not come apart during use. Quick change bobbines. All safeties. 400 V, 3 Ph, 50/60 Hz, 10 A.</p> <p>Min. / max. book size: 75x125x1 mm / 300 x 355 x 12 mms Speed: up to 600 books/hour</p>
Perforating & creasing machinery	Machine/type/price	Year/condition/available	Description/options
	<p>Bickel HK 3/68 € 850</p>	<p>Year/sn: 1966 / 8689 Excellent condition Available: direct from stock Ref. PTZ</p>	<p>Floor model heavy duty perforating equipment with electric foot pedal operation, register table with rulers. Creasing can be done with 10 sheets of 80 gsm up to 1 sheet of 400 gsm in one handling. 380 V, 3 Ph, 50/60 Hz.</p> <p>Max. paper width: 680 mms Paperweight: 30 – 400 gsm Table size: 700 x 700 mms</p>
	<p>OMM Mariner creaser € 850</p>	<p>Year/sn: na / na Excellent condition Available: direct from stock Ref. STK</p>	<p>Table model heavy duty creasing equipment with manual crank operation, register table with rulers. Creasing can be done with 2 sheets of 80 gsm up to 1 sheet of 300 gsm in one handling.</p> <p>Max. paper size: 500x600 mms Paperweight: 30 – 300 gsm Table size: 500 x 600 mms</p>
Cardboard machinery	Machine/type/price	Year/condition/available	Description/options

	<p>Dakiou HBJ D800</p> <p>€ 12.500</p>	<p>Year/sn: 2020 (delivered 2021) / 200267</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Floor model paper and carton erecting equipment to produce hamburger boxes, chips boxes, take away boxes, etc. The machine consists of micro-computer, PLC, servo feeding, alternating current frequency converter, vacuum-suction transport, auto gluing, automatic paper tape counting, chain drive. All main parts and electric control system consists of well-engineered parts to guarantee steady working, precise positioning, smooth running, safety and reliability operation. 400 V, 3 Ph, 50 Hz, 5 kW.</p> <p>Min. / max. paper size: 100x100 / 450x600 mms Paperweight: 200 – 600 gsm Speed: 120 cycles/min.</p>
<p>Laminating and varnish machines</p>	<p>Machine/type/price</p>	<p>Year/condition/available</p>	<p>Description/options</p>
	<p>Seal Image 62 Plus</p> <p>€ 3.250</p>	<p>Year/sn: 1999 / 1575-32-876/8.0</p> <p>Excellent condition (reconditioned 2024) Available: direct from stock</p> <p>Ref. STK</p>	<p>Manual fed thermal laminator for double sided hot- and cold laminating materials. Electric operation and tip touch programming on a control panel with LED setting indicators, with foot pedal, unwind and rewind shaft, feeder table with register and paper holder, roller temperature- (max. 130 C°), tension-, spindle pressure-, cooling down fans, and wrinkle control etc. All safeties, with swing-out infeed table, all on wheels for easy compact storage or use elsewhere. 220/380 V, 3 Ph, 50/60 Hz, 25 A.</p> <p>Max. width: 1.600 mms Max. nip width: 25 mms Speed: 0.5-1.8 m/min.</p>
	<p>GBC Catena 35</p> <p>€ 850</p>	<p>Year/sn: na / ZB00011G</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. STKCB</p>	<p>Tabletop manual fed thermal laminator for double sided hot- and cold laminating materials. Electric operation and programming on a control panel, unwind and rewind shaft, feeder table with register and paper holder, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. Manual roll knife cutter at the backside. All safeties, spare parts and including 2 rolls of laminating materials. 230 V, 1 Ph, 50 Hz, 5,7 A.</p> <p>Max. width: 360 mms Max. nip width: 5 mms Speed: 0.4-1.6 m/min.</p>
	<p>GBC PhotoPro 33</p> <p>€ 175</p>	<p>Year/sn: na / 000226</p> <p>Good condition Available: direct from stock</p> <p>Ref. STKCB</p>	<p>Table model thermal pouch laminator for hot laminating materials. Electric operation with 6 heated rollers and a simple control panel for the settings (standard paper types, photo paper types). All safeties. 230 V, 1 Ph, 50/60 Hz, 1000 W, 5 A.</p> <p>Max. pouch width: 330 mms Max. thickness: 0,8 mm</p>
	<p>GBC HeatSeal H75</p> <p>€ 150</p>	<p>Year/sn: na / TD43936H</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. STKCB</p>	<p>Table model thermal pouch laminator for hot laminating materials. Electric operation with a simple control panel for the settings (standard paper types, photo paper types). All safeties. 220 V, 1 Ph, 50 Hz, 300 W, 1,2 A.</p> <p>Max. pouch width: 318 mms Max. thickness: 0,8 mm</p>

Folders	Machine/type/price	Year/condition/available	Description/options
	Faltex 712-236 € 350	Year/sn: na / na Fair condition Available: direct from stock Ref. PTZ	Air suction feed folder (vacuum), flat pile feeder with vacuum feeder wheel, 2 strokes, digital console on the machine with counter, and delivery conveyor belt. All safeties and heavy-duty compressor/pump for vacuum and blowing. 230 V, 1 Ph, 50/60 Hz. Min. / max. paper size: 100x100 mm / 360x650 mm Paperweight: 50 – 230 gsm Min. fold: 30 mms. Speed: 1.000 – 30.000 sh/min.
	Palamides Alpha 500 € 8.325	Year/sn: 2004 / 1024 Excellent condition Available: direct from stock Ref. PTZ	Floor model delivery for processing brochures, especially signatures. The products are collected and pressed by the machine, stacked and then put neatly jogged and stacked in piles for delivery on the roller delivery table. The folding unit can keep running full speed without stopping or tiring the operator with packing and filling boxes during his job. Operating is done with an LED operating panel, and most functions are automated with programs to follow the folder in front of this nice machine. 400 V, 1 Ph, 50 Hz Min. / max paper size: 80 x 95 / 510 x 330 mm Pressure: 35.000 N Speed: 15 – 205 m/min.
Collators & Bookletmakers	Machine/type/price	Year/condition/available	Description/options
	Duplo System 3500 € 5.850	Year/sn: 2010 / 100300009 Good condition Available: direct from stock Ref. PTZ	Complete and fully automatic finishing line to produce books, magazines, catalogues etc. 10 station vacuum belt feed collator (including air separation) with inline DBM-350 bookletmaker with wire stitching, folding, trimming and a squarefold (Auto Spinemaster) with stacker delivery on top of the machine. Including online DC-12 rear jogger. Digital operation panel with touch control. All safeties. 230 V, 1 Ph, 50/60 Hz Min. / max paper size: 120 x 148 / 350 x 500 mms Paper weight: 40 – 300 gsm Speed: 3.000 – 9.000 sets/hr
Binding equipment	Machine/type/price	Year/condition/available	Description/options
	Renz SRW € 275	Year/sn: na / na Excellent condition Available: direct from stock Ref. STKCU	Manual punch, binder and closer for wire'O bindings (38 square 4x4 mm loops, 3:1 pitch) with selectable punch pins (eg for calendars), quick size adjustment, waste removal, crank operation. Including several boxes (new) with different sizes metal wire'O binders. Min. / max. size: A5-, A4-, and A3 size (10 – 340 mms) Thickness: 1 – 25 mms (up to 250 sheets of 80 gsm) Speed: 250 cycles/hr.

 <p>duplo</p>	<p>GBC CombBind C450E</p> <p>€ 150</p>	<p>Year/sn: na / WI01408P</p> <p>Good condition Available: direct from stock</p> <p>Ref. STKCU</p>	<p>Electric (3 in 1) table model punch, hanging in, and closer for plastic comb binders up to A3 size with electric operation. Rectangle holes. 230 V, 1 Ph, 50/60 Hz, 250 W.</p> <p>Punch capacity max. paper: up to 25 sheets of 80 gsm. (Covers up to 2 sheets per cycle) Bind capacity: 45 mms</p>
<p>Paper drills</p>			
	<p>Machine/type/price</p> <p>Nagel Citoborma 480AB</p> <p>€ 1.350</p>	<p>Year/condition/available</p> <p>Year/sn: na / na</p> <p>Good condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Description/options</p> <p>Floor model electric paper drill with 4 drilling heads for 4 holes in one handling job and an adjustable distance between the drills. Semi-automatic operation, electric pressure and automatic downward movement of the drilling unit with a footpedal, automatic waste removal and an adjustable sliding register board with tab-stops. 380 V, 3 Ph, 50/60 Hz, 2.9 A.</p> <p>Drill diameter capacity: 2 – 20 mms Adjustable distance between drills: 45 - 285 mms Max. drilling depth capacity: 60 mms Back gauge adjustment: 0 - 102 mms Table size: 270 x 460 mms</p>
<p>Packing, mailing and binding</p>			
	<p>Machine/type/price</p> <p>Busch TB 24 II</p> <p>€ 1.550</p>	<p>Year/condition/available</p> <p>Year/sn: 2012 / 374/4260</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Description/options</p> <p>Manual fed banding machine for strapping magazines, catalogues, brochures, boxes or mailing products. Size change is done automatically and the digital counter. The machine is operated by an automatic sensor, manually or with a foot pedal. In the cabinet below is a large wheel stand that offers longer intervals between reel changes. Banding materials are 40 or 50 mms width kraft paper tape (brown or white) or pp foil. All safeties. This machine is suitable for copy shops, print houses, logistics, post and mailing companies. All on wheels for use everywhere or easy storage. 220/240 V, 1 Ph, 50 Hz, 1 A.</p> <p>Max binding width: 180 - 240 mms Pile height: up to 150 mms Speed: up to 20-25 cycles/minute</p>
	<p>Machine/type/price</p> <p>Vision Pack Visionbag</p> <p>€ 1.150</p>	<p>Year/condition/available</p> <p>Year/sn: 2008 / MF060111</p> <p>Excellent condition Available: direct from stock</p> <p>Ref. PTZ</p>	<p>Description/options</p> <p>Manual feed mailing wrapping machine for wrapping magazines, catalogues, brochures or other mailing products. Size change is done with available size tools and forming boxes and the digital operating panel. All is packed tight, so no shrinking is required. Machine has: a digital counter, 9 programs with each 11 steps, temperature- and speed control. All safeties. This machine is suitable for copy shops, print houses, after press companies, logistics, post and mailing companies. 220/240 V, 1 Ph, 50/60 Hz, 500 W, 2.2 A.</p> <p>Min. / max seal size: 160x100 / 250x360 mms Thickness: up to 15 mms Speed: up to 20 cycles/minute</p>
<p>Lifting equipment</p>			
	<p>Machine/type/price</p>	<p>Year/condition/available</p>	<p>Description/options</p>

All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2020)**. All machines are owned by us and can be seen in our warehouse in the Netherlands. Our delivery terms can be read on: <https://www.mctrade.eu/delivery-terms/>. We are glad to Email you our terms in pdf. You can receive our newsletters and stock list by adding your email address to our mailing list: <https://www.mctrade.eu/newsletter-2/20>

Machines in stock at: 01st July 2026
Also see: www.mctrade.eu

McTrade warehouse: the Netherlands



