

BIG IN SMALL MACHINERY

INDEX: PRINTING P. 1-2 *** PRE-PRESS P. 2-2 *** AFTER-PRESS P. 2-5 *** PACKING: P. 5-6 *** MISCELLANEOUS P. 6-7

Sheet offset machinery	Machine/type/price	Year/condition/available	Description/options
	Shinohara 52-II € 3.950	Year/sn: 1999 / 20796115 Impressions: na Good condition Available: direct from stock Ref. PTZ	Modern 2-colour landscape offset machine, LCD operating panel, semi-automatic plate change, chain delivery, small size stream feeder, anti-static device, Royce Eco-15 alcohol dampening with chiller/mixer, low pile delivery, powder spray, ink roller wash. 400 V, 3 Ph, 50/60 Hz, 28 A. Min. / max. size: 100x 140 / 520 x 370 mms Paperweight: 0.04 – 0.4 mms Speed: 3.000 – 12.000 sh/hr.
	Foellmer OK/90 Duplikator € 950	Year/sn: 2007 / na Impressions: na Used condition Available: direct from stock Ref. PTZ	Stroke- and tab inserter that can be used as counter / inserter on almost every offset press in the world. The unit will insert a short or longer stroke of paper on the moment and count that is given in the digital counter (5 – 99.999). Can be adapted in inclination and height. Mobile on wheels, so it can be flexibly used on more machines or stored elsewhere. 220 V, 1 Ph, 50/60 Hz. Length of the neck: 200 mms Min. / max. size of the stroke: 20 - 200 mms Time of clamp: 0 – 10 sec.
Sign machinery	Machine/type/price	Year/condition/available	Description/options
	Intron Controller System 300 220 802 € 990	Year/sn: na / 9502 0884 Excellent condition Available: direct from stock Ref. PTZ	Floor model press for car- & motor metal licence plates. Operation on the machine with settings, timer, temperature, warning, mechanical pressure of the embossing table etc. All safeties an on wheels for use elsewhere. 220/240 V, 1 Ph, 50 Hz, 2,2 kW.
Pre-press	Machine/type/price	Year/condition/available	Description/options

	Grapho Metronic Plate punch € 1.550	Year/sn: na / ID09916 Excellent condition Available: direct from stock Ref. PTZ	Floor model combi plate punch for MAN Roland RVK, RZK, 200, 300, 500, 700, 800 and 900 series and all Heidelberg (or other brand offset machinery) with Autoplate system offset presses or Bacher 425 and 780 needed machinery for plate size up to 147 cm with pneumatic foot pedal operation (including compressor) and waste removal. Round and rectangular holes. 110-220 V, 1 Ph, 50/60 Hz. Punch distance: 42,5 and 78.0 cms Max. plate size: 147 cms
Paper cutters and guillotines	Machine/type/price	Year/condition/available	Description/options
	Duplo DC-645 € 2.385	Year/sn: na / na Good condition Available: direct from stock Ref. STK	This professional automated A3+ size cutter, slitter and creasing machinery can make e.g. business cards, post cards, photos, book covers, menus, brochures etc. out of print work in one pass only. The print work will be transported from the air suction paper feeder to the machine where loose sheets are slit, creased and/or cut simultaneously out of the originals. 2 rotary side trimmers, up to 4 rotary slitting knives, 1 cross knife with 15 cuts and 1 creasing rule for up to 10 creases per sheet in 1 pass (in 3-steps depth). Further the result is to be (batch-) counted automatically. The final result is delivered to the delivery with separator plates. Touch panel display operation. 230 V, 1 Ph, 50/60 Hz, 1,6 A. Min. / max. size: 210x210 / 370x650 mms Paper weight: 110 - 350 gsm Speed: 1560 sheets/hr
Stitching- and stapling machinery	Machine/type/price	Year/condition/available	Description/options
	Bizzozero 108B € 1.450	Year/sn: na / na Good condition Available: direct from stock Ref. PTZ	Floor model industrial wire stitching machine with automatic wire feeder and a foot pedal operation. With a flick-over working table, so suitable for block- and saddle stitching to produce blocks, pads, books, booklets, magazines, brochures, reports, catalogues etc. 380 V, 3 Ph, 50 Hz. Max. thickness: 2 - 250 sheets of 80 gsm Back gauge distance: 80 - 370 mms Speed: 170 cycles/min.
	Nagel Multinak S € 1.050	Year/sn: 1994 / 94841475 Good condition Available: direct from stock Ref. PTZ	Floor model industrial 2- head stapling machine with adjustable staple distance, automatic staple feeders, foot pedal operation. Suitable for block- and saddle stitching to produce blocks, pads, books, booklets, magazines, brochures, reports, catalogues etc. Loop staples are also possible. 400 V, 3 Ph, 50 Hz. Max. thickness: 2 - 270 sheets of 80 gsm Staple distance: 80 – 155 mms Back gauge distance: 80 - 155 mms Table size (flick over): 580 x 250 mms Staple types: 24, 26 and 30

	Hang 102-20 € 850 each	Year/sn: 2024 / 7020031 Excellent condition Available: direct from stock Ref. PTZ	Floor model industrial single head eyeletting machine with foot pedal operation and automatic eyelet feed. Suitable for paper, cardboard, plastic etc. Ideal for contracts, certificates and labels. Punches and eyelets in one work process where the eyelet punches the hole. Adjustable rear- and side stops for exact positioning. We have 2 pc available. Size of eyelets: 4 – 5.5 mms Max. thickness: 20 sheets of 80 gsm or up to 2 mms
	ODM Super Sewer 65 € 2.950	Year/sn: 2010 / 502 Good condition Available: direct from stock Ref. PTZ	Floor model industrial and automatic in-line sewing machine (lock-stitch sewing) for the production of on-demand books, photo albums, yearbooks, journals, blocks and textbooks. Easy to operate with user friendly operating panel. Semi-automatic feeder with a reverse back stitch on the head and the foot of the book block for a strong side sew, that will not come apart during use. Quick change bobbines. All safeties. 400 V, 3 Ph, 50/60 Hz, 10 A. Min. / max. book size: 75x125x1 mm / 300 x 355 x 12 mms Speed: up to 600 books/hour
Perforating & creasing machinery	Machine/type/price	Year/condition/available	Description/options
	Bickel HK 3/68 € 850	Year/sn: 1966 / 8689 Excellent condition Available: direct from stock Ref. PTZ	Floor model heavy duty perforating equipment with electric foot pedal operation, register table with rulers. Creasing can be done with 10 sheets of 80 gsm up to 1 sheet of 400 gsm in one handling. 380 V, 3 Ph, 50/60 Hz. Max. paper width: 680 mms Paperweight: 30 – 400 gsm Table size: 700 x 700 mms
	OMM Mariner creaser € 850	Year/sn: na / na Excellent condition Available: direct from stock Ref. STK	Table model heavy duty creasing equipment with manual crank operation, register table with rulers. Creasing can be done with 2 sheets of 80 gsm up to 1 sheet of 300 gsm in one handling. Max. paper size: 500x600 mms Paperweight: 30 – 300 gsm Table size: 500 x 600 mms
Cardboard machinery	Machine/type/price	Year/condition/available	Description/options

	Dakou HBJ D800 € 12.500	Year/sn: 2020 (delivered 2021) / 200267 Excellent condition Available: direct from stock Ref. PTZ	Floor model paper and carton erecting equipment to produce hamburger boxes, chips boxes, take away boxes, etc. The machine consists of micro-computer, PLC, servo feeding, alternating current frequency converter, vacuum-suction transport, auto gluing, automatic paper tape counting, chain drive. All main parts and electric control system consists of well-engineered parts to guarantee steady working, precise positioning, smooth running, safety and reliability operation. 400 V, 3 Ph, 50 Hz, 5 kW. Min. / max. paper size: 100x100 / 450x600 mms Paperweight: 200 – 600 gsm Speed: 120 cycles/min.
Laminating and varnish machines	Machine/type/price	Year/condition/available	Description/options
	Seal Image 62 Plus € 3.250	Year/sn: 1999 / 1575-32-876/8.0 Excellent condition (reconditioned 2024) Available: direct from stock Ref. STK	Manual fed thermal laminator for double sided hot- and cold laminating materials. Electric operation and tip touch programming on a control panel with LED setting indicators, with foot pedal, unwind and rewind shaft, feeder table with register and paper holder, roller temperature- (max. 130 C°), tension-, spindle pressure-, cooling down fans, and wrinkle control etc. All safeties, with swing-out infeed table, all on wheels for easy compact storage or use elsewhere. 220/380 V, 3 Ph, 50/60 Hz, 25 A. Max. width: 1.600 mms Max. nip width: 25 mms Speed: 0.5-1.8 m/min.
	GBC Catena 35 € 850	Year/sn: na / ZB00011G Excellent condition Available: direct from stock Ref. STKCB	Tabletop manual fed thermal laminator for double sided hot- and cold laminating materials. Electric operation and programming on a control panel, unwind and rewind shaft, feeder table with register and paper holder, roller temperature-, tension-, spindle pressure-, and wrinkle control etc. Manual roll knife cutter at the backside. All safeties, spare parts and including 2 rolls of laminating materials. 230 V, 1 Ph, 50 Hz, 5,7 A. Max. width: 360 mms Max. nip width: 5 mms Speed: 0.4-1.6 m/min.
	GBC PhotoPro 33 € 175	Year/sn: na / 000226 Good condition Available: direct from stock Ref. STKCB	Table model thermal pouch laminator for hot laminating materials. Electric operation with 6 heated rollers and a simple control panel for the settings (standard paper types, photo paper types). All safeties. 230 V, 1 Ph, 50/60 Hz, 1000 W, 5 A. Max. pouch width: 330 mms Max. thickness: 0,8 mm
	GBC HeatSeal H75 € 150	Year/sn: na / TD43936H Excellent condition Available: direct from stock Ref. STKCB	Table model thermal pouch laminator for hot laminating materials. Electric operation with a simple control panel for the settings (standard paper types, photo paper types). All safeties. 220 V, 1 Ph, 50 Hz, 300 W, 1,2 A. Max. pouch width: 318 mms Max. thickness: 0,8 mm

Folders	Machine/type/price	Year/condition/available	Description/options
	Faltex 712-236 € 350	Year/sn: na / na Fair condition Available: direct from stock Ref. PTZ	Air suction feed folder (vacuum), flat pile feeder with vacuum feeder wheel, 2 strokes, digital console on the machine with counter, and delivery conveyor belt. All safeties and heavy-duty compressor/pump for vacuum and blowing. 230 V, 1 Ph, 50/60 Hz. Min. / max. paper size: 100x100 mm / 360x650 mm Paperweight: 50 – 230 gsm Min. fold: 30 mms. Speed: 1.000 – 30.000 sh/min.
	Palamides Alpha 500 € 8.325	Year/sn: 2004 / 1024 Excellent condition Available: direct from stock Ref. PTZ	Floor model delivery for processing brochures, especially signatures. The products are collected and pressed by the machine, stacked and then put neatly jogged and stacked in piles for delivery on the roller delivery table. The folding unit can keep running full speed without stopping or tiring the operator with packing and filling boxes during his job. Operating is done with an LED operating panel, and most functions are automated with programs to follow the folder in front of this nice machine. 400 V, 1 Ph, 50 Hz Min. / max paper size: 80 x 95 / 510 x 330 mm Pressure: 35.000 N Speed: 15 – 205 m/min.
Collators & Bookletmakers	Machine/type/price	Year/condition/available	Description/options
	Duplo System 3500 € 5.850	Year/sn: 2010 / 100300009 Good condition Available: direct from stock Ref. PTZ	Complete and fully automatic finishing line to produce books, magazines, catalogues etc. 10 station vacuum belt feed collator (including air separation) with inline DBM-350 bookletmaker with wire stitching, folding, trimming and a squarefold (Auto Spinemaster) with stacker delivery on top of the machine. Including online DC-12 rear jogger. Digital operation panel with touch control. All safeties. 230 V, 1 Ph, 50/60 Hz Min. / max paper size: 120 x 148 / 350 x 500 mms Paper weight: 40 – 300 gsm Speed: 3.000 – 9.000 sets/hr
Binding equipment	Machine/type/price	Year/condition/available	Description/options
	Renz SRW € 275	Year/sn: na / na Excellent condition Available: direct from stock Ref. STKCU	Manual punch, binder and closer for wire'O bindings (38 square 4x4 mm loops, 3:1 pitch) with selectable punch pins (eg for calendars), quick size adjustment, waste removal, crank operation. Including several boxes (new) with different sizes metal wire'O binders. Min. / max. size: A5-, A4-, and A3 size (10 – 340 mms) Thickness: 1 – 25 mms (up to 250 sheets of 80 gsm) Speed: 250 cycles/hr.

	GBC CombBind C450E € 150	Year/sn: na / WI01408P Good condition Available: direct from stock Ref. STKCU	Electric (3 in 1) table model punch, hanging in, and closer for plastic comb binders up to A3 size with electric operation. Rectangle holes. 230 V, 1 Ph, 50/60 Hz, 250 W. Punch capacity max. paper: up to 25 sheets of 80 gsm. (Covers up to 2 sheets per cycle) Bind capacity: 45 mm
Paper drills	Machine/type/price	Year/condition/available	Description/options
	Nagel Citoborma 480AB € 1.350	Year/sn: na / na Good condition Available: direct from stock Ref. PTZ	Floor model electric paper drill with 4 drilling heads for 4 holes in one handling job and an adjustable distance between the drills. Semi-automatic operation, electric pressure and automatic downward movement of the drilling unit with a footpedal, automatic waste removal and an adjustable sliding register board with tab-stops. 380 V, 3 Ph, 50/60 Hz, 2.9 A. Drill diameter capacity: 2 – 20 mm Adjustable distance between drills: 45 - 285 mm Max. drilling depth capacity: 60 mm Back gauge adjustment: 0 - 102 mm Table size: 270 x 460 mm
Packing, mailing and binding	Machine/type/price	Year/condition/available	Description/options
	Busch TB 24 II € 1.550	Year/sn: 2012 / 374/4260 Excellent condition Available: direct from stock Ref. PTZ	Manual fed banding machine for strapping magazines, catalogues, brochures, boxes or mailing products. Size change is done automatically and the digital counter. The machine is operated by an automatic sensor, manually of with a foot pedal. In the cabinet below is a large wheel stand that offers longer intervals between reel changes. Banding materials are 40 or 50 mm width kraft paper tape (brown or white) or pp foil. All safeties. This machine is suitable for copy shops, print houses, logistics, post and mailing companies. All on wheels for use everywhere or easy storage. 220/240 V, 1 Ph, 50 Hz, 1 A. Max binding width: 180 - 240 mm Pile height: up to 150 mm Speed: up to 20-25 cycles/minute
	Vision Pack Visionbag € 1.150	Year/sn: 2008 / MF060111 Excellent condition Available: direct from stock Ref. PTZ	Manual feed mailing wrapping machine for wrapping magazines, catalogues, brochures or other mailing products. Size change is done with available size tools and forming boxes and the digital operating panel. All is packed tight, so no shrinking is required. Machine has: a digital counter, 9 programs with each 11 steps, temperature- and speed control. All safeties. This machine is suitable for copy shops, print houses, after press companies, logistics, post and mailing companies. 220/240 V, 1 Ph, 50/60 Hz, 500 W, 2.2 A. Min. / max seal size: 160x100 / 250x360 mm Thickness: up to 15 mm Speed: up to 20 cycles/minute
Lifting equipment	Machine/type/price	Year/condition/available	Description/options

All prices are excluded VAT. In "as is" condition, subject to prior sale and **FCA (Incoterms 2020)**. All machines are owned by us and can be seen in our warehouse in the Netherlands. Our delivery terms can be read on: <https://www.mctrade.eu/delivery-terms/>. We are glad to Email you our terms in pdf. You can receive our newsletters and stock list by adding your email address to our mailing list: <https://www.mctrade.eu/newsletter-2/20>

Machines in stock at: 04th September 2026

Also see: www.mctrade.eu

McTrade warehouse: the Netherlands



